



Docking Stations

Nashville, TN
615-889-8833

Anchorage, AK
907-264-6659

www.OutfitterSatellite.com
2911 Elm Hill Pike, Nashville, TN 37214

IRIDIUM 9505A STANDARD KIT **\$1795 NEW** **CAR DOCK COMBO \$1395 used**

Enjoy the freedom of using an Iridium 9505A in your car or boat. Our *limited-time* Car Dock Combo price includes all the items in an Iridium 9505A Standard Kit plus our most popular Car Docking System (see right top). The docking system uses standard 12 VDC car power and includes a hands-free speaker/microphone and a privacy handset. Internet access is supported via a serial port.

Options: marine mast antenna, fax adapter.

DK075 DOCKING SYSTEM by ASE for the 9555

The DK075 ASE docking system for the Iridium 9555 lets you use standard phone equipment via its RJ-11 phone port. The sound quality is the best available over the Iridium network. There is an integrated speaker and microphone for hands-free operation and an optional privacy handset. A new *SmartDial* feature recognizes the correct dialing format for the country that is being called and adds digits as necessary. The docking system can be used with external mast antennas (not included) with cable runs up to 25-meters in length. Your computer can connect to the internet through the dock's USB port. The system includes an AC "wall" adapter but also runs on DC "vehicle" power from 9 to 36 VDC. The 9555 charges while docked.

DOCKING SYSTEM by ASE for the 9505A

The ASE docking system for the 9505A can be connected to any standard RJ-11 phone system. Your 9505A charges while docked. The docking station uses sound processing technology to eliminate background sound and facilitate DTMF (touch tone) reception. A ringer indicates inbound calls. Internet access is supported via serial port.



External Antennas

- Mast Antennas
- Up to 20-m antenna cables
- Lightning suppressor kits
- Car Antennas



Iridium 9505A Car Docking System



Iridium 9555 Docking System

DK050 version has optional privacy handset
DK075 version has RJ-11 phone port
Iridium 9555 not included.



Iridium 9505A Docking System by ASE

Mast antenna & Iridium 9505A, not included.



Phones for Marine Applications

Nashville, TN Anchorage, AK
 615-889-8833 907-264-6659
www.OutfitterSatellite.com
 2911 Elm Hill Pike, Nashville, TN 37214

IRIDIUM OPENPORT **\$4895**

OpenPort delivers reliable, cost-effective data and voice communications for shipping and fishing fleets. OpenPort offers three simultaneous voice lines and an always-on Ethernet port with internet access speeds up to 128,000 bps. The system does not require professional installation and includes a pole-mounting bracket for the 22.44" diameter antenna unit.

Data Services: Iridium developed OpenPort to fill the niche for users needing fast internet at a much lower equipment cost than available from expensive Inmarsat-based systems. Depending on the rate plan you select, the OpenPort can operate at internet data speeds (best case) of 9.6 kbps, 32 kbps, 64 kbps or 128 kbps.

Voice Services: There are voice ports with RJ-11 connectors that can be used with conventional phone equipment. The OpenPort also includes a Captains desk phone and a Crew desk phone. Each voice line can be configured for normal, Captains or Crew mode.

- Normal mode lets you send or receive calls with standard pay-as-you-go monthly billing. Voice lines have a US phone number for +1 Access.
- Captains mode is like normal mode but includes PIN protection so that unauthorized users cannot make outbound calls.
- Crew mode protects your budget and must be used only with prepaid 60-minute Scratch Cards.

Basic 9.6k Plan	Standard 32k Plan	Power 64k Plan
\$60 per month	\$330 per month	\$950 per month
1 Voice Line	3 Voice Lines	3 Voice Lines
Basic Voice Rate: \$1.69 per minute	Basic Voice Rate: \$1.29 per minute	Basic Voice Rate: \$0.99 per minute
Basic Voice: 0 min / month	Basic Voice: 100 min / month	Basic Voice: 300 min / month
Best data rate: 9.6 kbps	Best data rate: 32 kbps	Best data rate: 64 kbps
0 MB / month included	10 MB / month included	50 MB / month included

* All plans have 12-mo term and \$500 early cancellation charge. Other plans are available. Service required.

Iridium OpenPort 3 Voice Line Phone



ABOVE DECK (ANTENNA UNIT)

Antenna Dimensions: 9.06" high 22.44" dia
 Antenna Weight: 24.25 lb



BELOW DECK (INSIDE UNIT)

Inside Unit Dimensions: 7.78" x 9.84" x 2.17"
 Inside Unit Weight: 2.98 lb

What is included?

OpenPort Standard Kit

- Antenna Unit and Inside Unit
- 20-meter antenna cable
- AC/DC Power supply and cord
- Captains desk phone
- Crew Calling desk phone
- Antenna Pole Bracket Mount
- Inside Unit Mounting Kit
- Manual



Iridium Phones for Buildings

Nashville, TN
615-889-8833

Anchorage, AK
907-264-6659

www.OutfitterSatellite.com

2911 Elm Hill Pike, Nashville, TN 37214

BEAM RST100A Fixed Site **\$3225**

The RST100 Remote Satellite Terminal by BEAM provides voice, data, and messaging services through the Iridium network. A standard RJ-11 phone (not included) can be used with this system. Data at 2400 bps is supported using an RS-232 serial port. An LED display indicates the status of power, satellite signal strength, ongoing call status, and voicemail waiting. Kit includes the following:

- Satellite Transceiver with data cable, 110/240 AC-DC supply, mounting bracket, user guide, installation CD
- Mast Antenna (1" threaded pipe mount type antenna)
- 10-meter Antenna Cable (TNC-to-TNC type)

Options: External Ringer/Alarm, Intelligent Handset, 20-meter cable set. A similar DC-powered unit, the RST110, is available for marine applications. We also carry a variety of external antennas for your car, boat, or home (see right).

Rack Mount 4-Line MXU **\$12,995**

The MXU mounts in a standard 19" rack and is typically used to provide Iridium voice line capability to a PBX, either as a primary or backup communications network. *Includes MXU, 4 mast antennas, cable kit, mast mounting kit, and user manual.*

VOICE SERVICES: Up to 4 simultaneous voice calls can be supported (inbound or outbound). Other powerful features of the MXU include call detail review and the option to PIN-protect access to outside Iridium lines to prevent unauthorized use. Inbound calls can be programmed to roll over if the lead number of the hunt group is busy, and a US phone number can be assigned to the lead number in the MXU's huntgroup to make calling the MXU straightforward.

INTERNET DATA SERVICES: The MXU can also be used for internet access and if desired all 4 Iridium channels can be multiplexed to provide a 9.6 kbps data rate.



BEAM RST100A Fixed-Site Iridium

Rear view of BEAM RST100 Fixed Site Iridium System. POTS phone / Intelligent Handset (right top) not included.

Dimensions: 8.8" x 10.6" x 1.2" (22.5 x 27.1 x 4.5 cm)

Rack mount console weight: 4.9 lbs (2.25 kg)

Operating Temperature: 5°F (-15°C) to 131°F (55°C)

Humidity: 93% NonCondensing

Power: 11-32 VDC At 12 VDC, the unit draws 0.35 Amps in standby, 0.51 Amps while transmitting. An 110/240 AC power supply is supplied with RST100.



SPECIFICATIONS

Dimensions: Rack: 19.0" x 20.0" x 7.0" (48.3 x 50.8 x 17.8cm)

Rack mount console weight: 25lbs (11.33kg)

Operating Temperature: 32°F (0°C) - 113°F (45°C)

Storage Temperature: -4°F (-20°C) - 140°F (60°C)

Humidity: 80% Relative Humidity at 104°F (40°C)

Power: 115/230 VAC, 50/60 Hz 115 Watts

Interface to PBX/PSTN: complies CRT21 (Europe); FCC part 68 (USA)

Operating (transmit and receive): 1616 - 1625.5 Mhz

Link Margin (w/external antenna): 12.5 dB average

Minimum distance between antennas: 3ft. / .9144m

Maximum loss between MXU / antennas: 3 dB Loss

HARDWARE ORDER: (11062008)

INTERNAL USE ONLY: REP: _____

BP: _____ Order #: _____

QTY	DESCRIPTION OF ITEMS BEING PURCHASED:	PART #	UNIT PRICE
	Iridium 9505A Standard Kit Includes phone/battery, AC charger (5-plug set), DC charger, leather holster, magnetic mount car antenna 1.5 m cable, antenna adapter, handsfree earbud, manual.	6010001	\$1395
	Iridium 9505A Standard Kit Car Dock Combo (6-mo warranty) Includes Iridium 9505A Standard Kit (which includes magnetic-mount car antenna with 1.5 m cable), Basic Docking Station with hands-free system, privacy handset/mount.	6010001 6060003	\$1795 Limited qty
	Used Iridium 9505A Standard Kit (6-mo warranty)	6010001-R-K02	\$995
	Used Iridium 9505A Standard Kit Car Dock Combo (6-mo warranty)	6010001-R-K02 6060003-R	\$1395
	Iridium 9555 Standard Kit Includes phone, AC charger/plug kit, holster, magnetic mount car antenna with 1.5 m cable, antenna adapter, DC charger, and hands free earpiece, USB to Mini-USB cable/Data CD, and user guide/quick start guide.	6047042	\$1550
	Used Iridium 9555 Standard Kit (6-mo warranty)	6047042-R-K02	\$1450
	FIXED-SITE: BEAM RST100A Includes transceiver, mast antenna, 10-m antenna cable, data cable, 110/240 AC-DC supply, bracket, user guide, installation CD	6153008 custom order	\$3523
	MARINE: BEAM Sea Captain Includes Remote Satellite Terminal RST110, Intelligent Handset/Cradle, Helix Mast Antenna, 12M flexible ant. cable, POTS handset.	6153006 custom order	please call
	MARINE: OPENPORT 3-line phone with Iridium broadband internet	6060010	\$4895
	PELICAN 1200 hardcase SPECIFY: <input type="checkbox"/> black (default) <input type="checkbox"/> yellow <input type="checkbox"/> orange	5017110	\$53
	Used PELICAN 1200 SPECIFY: <input type="checkbox"/> black (default) <input type="checkbox"/> yellow <input type="checkbox"/> orange	5017110-R	\$30
	DATA: Internet Data Kit for 9505A (requires computer with RS232 serial port)	6020230	\$125
	DATA: PCMCIA-to-Serial Adapter for 9505A Data Kit for Windows XP	4057001	\$199
	DATA: USB-to-Serial Adapter <input type="checkbox"/> Win XP/Mac <input type="checkbox"/> Vista	4034000, 4034000-V	\$30
	DATA: Used USB-to-Serial Adapter <input type="checkbox"/> Win XP/Mac	4034000-R	\$15
	FAX ADAPTER for using fax machines with 9505A or BEAM	6010322 custom order	\$550
	BATTERY SPECIFY: <input type="checkbox"/> 9555 <input type="checkbox"/> 9505A <input type="checkbox"/> 9505/9500	6060005, 6020002 6010220	\$99
	AC Wall charger w/ plug kit SPECIFY: <input type="checkbox"/> 9555/9505A <input type="checkbox"/> 9505/9500	6020008, 6010150	\$105
	DC Auto Charger SPECIFY: <input type="checkbox"/> 9555/9505A <input type="checkbox"/> 9505/9500	6020007, 6010130	\$65
	SOLAR CHARGER with 4.4 Watt panel, Battery and Belly Pack	3199005	\$229
	DOCK: Car Dock for 9505A (includes Privacy Handset)	6060003	\$599
	DOCK: ASE Dock for 9505A (antenna not included, select below)	6047011	please call
	DOCK: ASE-DK050 Car Dock for 9555 (antenna not included)	6060008- 9555	\$899
	DOCK: ASE-DK075 Dock for 9555 (antenna not included select below)	6060010- 9555	\$1499
	INTELLIGENT HANDSET AND SWIVEL MOUNT for 9555 ASE docks	xxxxxxx	\$399
	ANTENNA: Replacement 9505/9505A Stick Antenna	6010090	\$205
	ANTENNA: Mag-Mount Car Antenna with 1.5-m cable	6010300	\$50
	ANTENNA: Car Antenna (5-m cable) Select: <input type="checkbox"/> mag-mount <input type="checkbox"/> fixed mount	6047040 or 6047000	\$199
	ANTENNA: Mast type with 1" Threaded Pipe	6047120	\$199
	ANTENNA: Active Antenna (AD520-10 requires DC power) <input type="checkbox"/> Add \$120 for short TNC pigtail <input type="checkbox"/> Add \$300 for 40-meter N-type cable	SMN-30037 SMN-CPRT, -20068	\$2550
	Lightening Suppressor Kit (with 1.5m inside cable, 0.5m outside cable)	6060009 custom order	\$205
	10-meter Antenna Cable (TNC-to-TNC)	6850052	\$99
	20-meter Antenna Cable (TNC-to-TNC)	6850053	\$159
	25-meter Antenna Cable (TNC-to-TNC, LMR 240 type cable)	6850054	\$299
	Other:		

By signing below, Customer is purchasing the selected items from Outfitter Satellite, Inc. and agrees that the terms and conditions and payment method described in the separately executed CUSTOMER ACCOUNT SETUP AGREEMENT apply. Service contract is required for phone purchases. Used phones have 6-month warranty excluding battery / cable components.

CUSTOMER SIGNATURE: _____ **DATE:** _____

If no other instructions are specified, the default shipping method and address on file for your account will be used.

FedEx Ground FedEx 2-Day FedEx 3-Day FedEx Priority Overnight FedEx Saturday Delivery

SPECIAL SHIPPING INSTRUCTIONS: _____